

# T5

## *The scrubber-dryer for the cleaning professional*

- Just-scrubbed floors immediately dry and safe for traffic with green technologies ec-H2O™ or FaST™
- Achieve 100% solution recovery – even on 180 degree turns – with superior squeegee design
- Lower sound level (67 dBA)



**ecH2O™**  
ELECTRICALLY CONVERTED WATER

**FaST**  
Foam Scrubbing Technology

*The Safe Scrubbing Alternative®*

# Reach a higher level of cleanliness, health and safety with the new, environmentally-friendly T5.

## Move from cleanliness to sanitization

Reduce mould and bacteria and ensure the highest level of cleanliness with complete-access hygienic tanks.

## Reduce dependency on wasteful cleaning solutions

FaST uses 90% less detergent, and decreases detergent packaging by 90%.

ec-H<sub>2</sub>O eliminates the environmental impact of ec-H<sub>2</sub>O producing packaging and disposing of traditional cleaning chemicals.

## Decrease noise levels

At only 67 decibels, the T5 is quieter than leading competitive models – comparable to normal conversation levels.

## Conserve natural resources

Utilize water capacity up to 70% longer and reduce waste-water up to 70% with FaST and ec-H<sub>2</sub>O technologies.



**High productivity with gel batteries.** Achieve up to 5 hours of run-time with environmentally-preferable sealed batteries.

**Maximize flexibility and versatility.** Choose from 600, 700, or 800 mm disk or 650, 800 mm cylindrical brushes for scrubbing a variety of spaces and applications.

**Minimize the risk of slip-and-fall injuries and help control insurance costs.** Dry and safe for foot traffic almost immediately when scrubbed with the FaST and ec-H<sub>2</sub>O technologies.



## FaST

- Equip your T5 with FaST (Foam-activated Scrubbing Technology)
  - The first and only automatic scrubbing system to receive high-traction certification from the National Floor Safety Institute.

### With T5 and FaST:

- Just-scrubbed floors are dry and safe to walk on immediately because FaST eliminates slippery chemical residue;
- Operators are safer – No need to mix chemicals.
- Use only the detergent you need. FaST accurately measures detergent and water, reducing waste and eliminating chemical residue;
- Supercharge your productivity with fewer dump/fill cycles – with FaST, the T5 uses only 1 tablespoon of water to clean more than 1m<sup>3</sup>

## ec-H2O

- Equip your T5 with ec-H2O
  - ec-H2O is a green technology that makes water behave like a powerful detergent without adding chemicals.
  - ec-H2O eliminates the environmental impact of producing, packaging, transporting, using, and disposing of traditional cleaning chemicals.

### With T5 and ec-H2O:

- ec-H2O begins as water and ends as water.
- ec-H2O uses up to 70% less water than conventional scrubbing methods.
- Environmentally-friendly alternative to traditional cleaning methods



## FaST



GENERAL SOIL  
HEAVY GREASE/OIL

FaST 365/965  
FaST 965

## ec-H2O

GENERAL SOIL  
HEAVY GREASE/OIL

yes  
-

## Deliver consistent, superior cleaning results with the T5.

Eliminate the need for follow-up passes and non-productive mop-ups with the fully self-adjusting splash skirt that captures 100% of scrub deck overspray.



Scrub for up to 150 minutes on a single tank when you equip the T5 with FaST or with ec-H2O.



Save time and storage space with the optional on-board charger.





Start cleaning faster with intuitive one-touch controls – and clean up to 5,5 hours on a single battery charge with T5's economy mode.



Eliminate operator contact with waste water and prevent clogged hoses/drains with the convenient debris tray.







## FaST-PAK® CLEANING CONCENTRATE

Easy-to-handle FaST-PAK cartridges are safe to use on a variety of floors, effectively cleaning light-to-heavy soils and grease. Available in FaST 365 daily maintenance concentrate or 965 heavy duty cleaner/degreaser.



This "Ecoflower" is a European ecomarking logotype - it will help You recognizing environment-friendly products and services.



ec-H2O and FaST are certified by NFSI.  
www.nfsi.org

## T5 WALK-BEHIND SCRUBBER-DRYER

		Disc	Cylindrical
<b>Machine Dimensions</b>			
Working width (scrubbing path)	cm	60-70-80	65-80
Squeegee width	cm	91-105-119	105-119
Dimensions (lxwxh)	cm	135x65/75/ 85x112	135x73/ 88x112
Machine weight (net)	kg	143-152-158	162-166
<b>Scrubbing System</b>			
Area coverage - theoretical (max)	m <sup>2</sup> /h	2700-3150-3600	2925-3600
Area coverage - practical (max)	m <sup>2</sup> /h	1375-1625-1875	1500-1875
Number of brushes/pads	qty	2	2
Diameter disc brush/pad	cm	30-35-40	-
Length cylindrical scrub brush x dia	cm	-	66/81x15
Brush assist drive	yes/no	no	no
Transaxle drive	yes/no	yes	yes
Brush/Pad pressure	kg	18-36-54	18-36-54
<b>Recovery System</b>			
Airflow	l/s	33	33
Water lift	kPa	15.5	15.5
Practical capacity solution tank	L	85	85
Practical capacity recovery tank	L	102	102
<b>Power</b>			
Power source		battery 24V	battery 24V
Total power consumption	W	1200	1200
Protection class	I/II/III	III	III
Sound level (DIN45635)	dB(A)	67	68
<b>Operation</b>			
ec-H2O	yes/no	yes	yes
FaST	yes/no	yes	yes
Cylindrical/Disc	disc		cylindrical
<b>Propelling</b>			
Transport speed	km/h	4.5	4.5
Working speed	km/h	2.5	2.5
Climbing capacity	%	8	8
Minimum aisle turn	cm	135-150-163	157-164
<b>Warranty</b> 24 Months (or max 2000 running hours) on parts and 12 months (or max 1000 running hours) on labour, whichever comes first, excluding wear items.			

## SEEING IS BELIEVING

See for yourself how the T5 scrubber-dryer can help you reach a higher standard of cleanliness and safety in your facility. For a demonstration or additional information, call us

**TENNANT EUROPE NV**  
Plantin & Moretuslei 220  
2018 Antwerp  
BELGIUM  
Tel: +32 3 217 94 11  
Fax: +32 3 217 94 19  
E-mail: europe@tennantco.com

**TENNANT UK LTD.**  
Gladstone Road  
Northampton NN5 7FX  
UNITED KINGDOM  
Tel: 00800-2255 8366  
Fax: 00800-3298 3662  
Tel: 01604 583191 (local rate UK only)  
Fax: 01604 587909 (local rate UK only)  
E-mail: europe@tennantco.com

**TENNANT CEE GmbH**  
Sommerfeld 1  
5202 Neumarkt am Wallersee  
AUSTRIA  
Tel: +43 (0)6216 4524 & 4525  
Fax: +43 (0)6216 4524 20  
E-mail: office@tennant-cee.com